

LEXOLUBE® CPE OCL

Formulated Oven Chain Lubricants

Product Description

Lexolube® CPE OCL Oven Chain Lubricants are made from complex ester base stocks and additives that optimize the performance and stability the lubricant. They are available in a range of viscosities for most moderately high temperature operations.

Features and Benefits

- Fully Formulated, Ready to Use
- Low Friction, Anti-wear, EP
- High Viscosity Index
- Low Volatility
- Good Thermal Stability
- High Solvency
- Corrosion Protection
- Worker Friendly

Applications

- Oven Chain Oils
- Drying Ovens
- Wood Laminating
- Paint Ovens
- Fiberglass Production
- Textile Finishing

Storage and Handling

These products should be warehoused at an ambient temperature in unopened containers.

Consult MSDS for handling procedures.

Typical Properties

Property, Units	CPE-70	CPE-150	CPE-220	CPE-320	CPE-460
Appearance, Visual	Amber	Amber	Amber	Amber	Amber
Odor, Olfactory	Mild	Mild	Mild	Mild	Mild
Viscosity, cSt (40°C)	70	150	220	320	460
Viscosity, cSt (100°C)	11	20	27	35	46
Viscosity Index	150	145	145	150	150
Pour Point, °C	-15	-15	-25	-25	-25
Flash Point, °C	305	305	305	295	300
Fire Point, °C	335	335	340	330	320
RBOT, min. (150°C)	700	650	600	630	540
4 ball wear, mm (40 kg, 1200 rpm, 100°C)	0.44	0.41	0.41	0.38	0.37
4 ball wear, mm (600 rpm, 200°C)	0.42	0.45	0.45	0.48	0.50
Weight loss, % (22 hrs, 204°C)	2.3	2.2	2.0	2.7	3.1
Weight loss, % (20 hrs, 260°C)	21	19	17	20	20
Residue, % (20 hrs, 260°C)	23	63	83	80	80

Regulatory Status

TSCA (USA)	✓
EINECS (EU)	✓
ENCS (Japan)	No
NDSL (Canada)	✓
AICS (Australia)	✓
ECL (Korea)	✓
IECSD (China)	✓
PICCS (Philippines)	✓
Food Contact	NSF H2

www.inolex.com

Inolex and its marketing subsidiaries, affiliates, partners and suppliers, disclaim responsibility for results of use of the Materials or of any product, method, or apparatus mentioned herein. Nothing stated herein is to be considered a recommendation or inducement of any use, manufacture or sale that may infringe any patents or any other proprietary rights now or hereafter in existence. The Materials are intended to act as a guide for use at your discretion and risk. We assume no liability in connection with the use, or the utilization of the Materials or the methods or products described therein. Information pertaining to availability, pricing and technical assistance for these products can be obtained from the marketing department, through the nearest sales representative or authorized distributor. Copyright © 2008 Inolex Chemical Company. All Rights Reserved.

